15 The Department does not undertake the responsibility to supply lorries to the contractor.

16 Quantities given in the notification and schedule are approximate and are liable to alterations. No extra rates will be allowed for such alterations.

17 The works should not be sublet.

18 The contractor will have to make his own arrangements for water required for the works, scaffolding materials, conveying of materials, approach road to quarries, sand bags and necessary precautions from flood damages. No extra amount will be paid for any of the above items.

2484 M. A. THIRUMALACHAR, *Ex. Engr.*

CHITALDRUG DIVISION.

Auction Sale Notification dated 23rd June 1953.

It is hereby notified for the information of the public that the unserviceable tools and plant will be sold by public auction on Monday, the 27th of July 1953 between 3 P.M. and 5 P.M.

2 The articles will be knocked down to the highest bidder.

3 The intending bidders may bid for the articles and take possession of the articles after confirmation by the Superintending Engineer, Shimoga Circle, Shimoga and payment of the bid money in full with sales-tax, centage and cess leviable on them.

4 The articles may be seen in the Public Works Department Stores, Chitaldrug, on any working day during working hours.

5 As most of the articles are unserviceable, the same will be weighed and kept separately if a numerical account cannot be made and will be delivered to the bidder after confirmation.

6 In case of any dispute with regard to the sale the decision of the Superintending Engineer, Shimoga Circle, Shimoga, is final and the bidder has to be avoided by that.

7 The highest bidder has to pay one-fourth bid money on the day of sale and the rest at the time of taking delivery of the articles.

8 The number of articles noted in the list are not guaranteed and whatever that is available on the day of auction will be sold.

B. N. SRIHARSHAN,
2368 *Ex. Engr.*

MEDICAL DEPARTMENT

OFFICE OF THE SUPERINTENDENT, GOVERNMENT MEDICAL STORES, BANGALORE.

Abstract Notification dated 20th June 1953.

A public auction of all condemned and unserviceable articles like drums, tins, empty bottles, etc., will be held by the Superintendent of the Government Medical Stores, Bangalore, in the premises of the Stores (behind the office of the Director of Medical Services, Palace Road, Bangalore) at 10 A.M. on Saturday, the 11th July 1953.

1. The final decision in every matter will rest with the Superintendent of the Government Medical Stores.

2. The articles will be sold to the highest bidder.

3. Such a bidder will have to make his own arrangements to remove the articles from the Medical Stores soon after the auction is over.

4. The successful bidder will have to pay the full amount in cash before the end of auction.

5. In case such a bidder defaults, the articles which he bids for will be reauctioned at his own risk.

6. The articles will be opened for inspection at the Stores during working hours (11 A.M. to 5 P.M.) on any day except Saturdays and Holidays.

M. O. RAHMAN KHAN,
2056 *Superintendent.*

MISCELLANEOUS DEPARTMENTS

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

WEIGHMENT OF MOTOR VEHICLES.

Notice dated 16th February 1950.

No. T.C. 265—49-50. The public are hereby informed that an Avery's Weighbridge has been installed in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles can be weighed there and a certificate of weighment obtained on payment of a fee of Rs. 1-8-0.

2125 N. V. BABU REDDY,
Inspector-General of Police.

GOVERNMENT OF MYSORE—ELECTRICAL DEPARTMENT.

OFFICE OF THE CHIEF ELECTRICAL ENGINEER TO THE GOVERNMENT OF MYSORE, BANGALORE-1.

Notification dated 2nd July 1953.

No. G.N. 29. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 2nd August 1953, for the supply of the following, the terms of delivery being Ex-our Workspot or stores at Shimshapura that will be indicated later on.

The tenderers should quote their best billing prices which should be firm for a period of one month from the due date of the tender. The rates should be quoted in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with the manufacturer's name, etc., complete. Samples wherever possible should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period will entail cancellation of the order and forfeiture of the earnest money, if any. The successful tenderer should, if so required by us, should deposit a sum equal to five per cent of the value of the order as earnest money for the satisfactory execution of the order in accordance with the terms and period of delivery specified in the order.

The Chief Electrical Engineer does not bind himself to accept the lowest or any tender, but reserves to himself the right to accept or reject any tender at his discretion.

Supply on our order will be subject to the general conditions of contract prevailing in this department for local purchases.

The tenders should be superscribed as "Tender for the supply of Burnt Bricks, to be opened on 3rd August 1953."

1. Burnt Bricks 9"x4½"x3" size ... Nos. 2,00,000

429

Notification dated 3rd July 1953.

No. G.N. 30. Sealed tenders will be received in the Office of the Chief Electrical Engineer to the Government of Mysore, Bangalore, up to 3 P.M. on 3rd August 1953, for the supply of the following, the terms of delivery being f.o.r. Mysore.

The tenderers should quote their best billing prices, which should be firm for a period of one month from the due date of the tender. The rates should be quoted in figures and words. The earliest period within which delivery would be effected may be specified in the tender. Full specifications regarding make, etc., should be specified in the tender along with manufacturer's name, etc., complete. Samples, wherever possible, should be sent for inspection. The quantities in each item to be purchased may be varied according to actual requirements at the time of placing orders.

No enhancement of rates for whatever causes will be allowed when once the quotation is accepted and order is placed. Withdrawal from the quotation after it is accepted or failure to make the supply within the scheduled period